

2020

ELECTRICAL MATERIAL

ISO 9001:2015
Member of BSCI

Cert. No. FM 98371
DBID No. 334888



LUMITEK INTERNATIONAL CO.,LTD

Add : No.18, Lane239, Beihai Road, Jiangbei, Ningbo, China

Tel : +86-574-88165605

Fax : +86-574-88165666

E-mail : jacky@lumitek.cn

www.lumitekgroup.com

2020

ELECTRICAL MATERIAL

● Connect the World



LUMITEK INTERNATIONAL CO.,LTD

ABOUT LUMITEK

Lumitek, as a dedicated manufacturer of electrical and lighting products, is continuously evolving and innovating to stay tuned with the changing market and technologies since its inception in 1998. We believe that vertically integrated competences as manufacturing, R&D and marketing service will help our customers competitive and differentiated in the mass market competition.

ISO9001, ISO14001, OHSAS18001, and BSCI are the qualifications to ensure our quality control , environmental management, health and safety, and social compliance. A large-scale laboratory is invested with all necessary testing equipments for electrical safety, EMC and lighting parameters.

Our in-house R&D team is characterized by its profession and passion. The team has all-round capabilities as industry design, mechanical design, electronics hardware design, software & APP design etc. Tens of utility and invention patents, hundreds of safety certificates, IF Design Award 2017, are all proud outcome of our R&D team.



● Lumitek Group

Welcome and enjoy the experience with Lumitek.



ECO

Simplest Flat Power Plug



Colour Varieties For Option

Different color options to make the electrical products in harmony with your home setting.



Patent No.: EU/CN
003790310-003
ZL 201730056751.X
ZL 201720037425.9
ZL 20162083446
201710023072.1(Pending)
17162394.5(Pending)

UNIQUE DESIGN OF THE POWER PLUG SMALL, FLAT AND EASILY PULLED OUT

It has been a trend for a plug to be hidden, with reduced size in a super-flat design. The flat design would be so flat that can hardly be pulled out. We take profound sense of mission in making the design of ECO Simplest Flat Plug with the simplest design, least material, while it is convenient enough to be pulled out.



ECO

Simplest Flat Power Plug



i INDEX

M Multi-Socket Series



Ara Series 01-06



ECO Series 07-20



Fun Series 21-30



Slim Series 31-34



Flexible Series 35-42



Kitchen Series 43-46



Clip Socket Series 47-49



Game Multi-socket 50-51

E Extension Cord Series



ECO Simplest Flat Power Plug 52-55



Extension Cord 56-58



Clip & Magnetic Extension Cord 59-62



Cable Reel 63-66

i INDEX

P Plug & Socket Series



Flat Plug 67-69



22/23 Series 69-74



60 Series 72-76



602 Series 77-80

A Adaptor Series



Adaptor 81-86



Macaron Adaptor 87-89



M Ara Series

Multi-Socket Series


NEW CE



661115-3U4C




16A 250V~Max:3680W
A+C 45W Max
A: Max 18W
Type C:Max 45W



Spaced outlet



A+C 45W MAX



Fixing at table leg



Flat Plug



Quick Charge, Type-C PD

M





661113-2U2 (2.4A)

661113-2U3 (3.4A)



16A 250V
MAX : 3500W
USB 5V 2.4A/ 3.4A
PP Material
H05VV-F 3G 1.5mm² cable



661113-2U2SG (2.4A)

661113-2U3SG (3.4A)



16A 250V
MAX : 3500W
USB 5V 2.4A/ 3.4A
Surge protector UOC: 3KV
PP Material
H05VV-F 3G 1.5mm² cable



661113-3U2 (2.4A)

661113-3U3 (3.4A)



16A 250V
MAX : 3500W
USB 5V 2.4A/ 3.4A
PP Material
H05VV-F 3G 1.5mm² cable



661113-3U2SG (2.4A)

661113-3U3SG (3.4A)



16A 250V
MAX : 3500W
USB 5V 2.4A/ 3.4A
Surge protector UOC: 3KV
PP Material
H05VV-F 3G 1.5mm² cable



661114



16A 250V
MAX : 3500W
PP Material
H05VV-F 3G 1.5mm² cable



661114SG



16A 250V
MAX : 3500W
Surge protector UOC: 3KV
PP Material
H05VV-F 3G 1.5mm² cable



661115-2U2 (2.4A)

661115-2U3 (3.4A)



16A 250V
MAX : 3500W
USB 5V 2.4A/ 3.4A
PP Material
H05VV-F 3G 1.5mm² cable



661115-2U2SG (2.4A)

661115-2U3SG (3.4A)



16A 250V
MAX : 3500W
USB 5V 2.4A/ 3.4A
Surge protector UOC: 3KV
PP Material
H05VV-F 3G 1.5mm² cable



Multi-Socket Series

M





661115-3U2 (2.4A)

661115-3U3 (3.4A)



16A 250V
MAX : 3500W
USB 5V 2.4A/ 3.4A
PP Material
H05VV-F 3G 1.5mm² cable



661115-3U2SG (2.4A)

661115-3U3SG (3.4A)



16A 250V
MAX : 3500W
USB 5V 2.4A/ 3.4A
Surge protector UOC: 3KV
PP Material
H05VV-F 3G 1.5mm² cable



661116



16A 250V
MAX : 3500W
PP Material
H05VV-F 3G 1.5mm² cable



661116SG



16A 250V
MAX : 3500W
Surge protector UOC: 3KV
PP Material
H05VV-F 3G 1.5mm² cable





CE
NEW


Quick Charge, Type-C PD




1.Dedicately Designed



2.Lighted Switch



3.USB A+C: 5V 3A Max



4.Children Protection



5.Mounting Hole



6.Ventilation Hole



611003



611004



611006



German Type

16A 250V~
MAX: 3500W
PP material
Rewirable cable



16A 250V~
MAX: 3500W
PP material
Rewirable cable



16A 250V~
MAX: 3500W
PP material
Rewirable cable



M





611013



16A 250V~
MAX: 3500W
Pp material
H05VV-F 3G 1.0/1.5mm² cable



611014



16A 250V~
MAX: 3500W
PP material
H05VV-F 3G 1.0/1.5mm² cable



611015



16A 250V~
MAX: 3500W
Pp material
H05VV-F 3G 1.0/1.5mm² cable



611016



16A 250V~
MAX: 3500W
PP material
H05VV-F 3G 1.0/1.5mm² cable



611113



16A 250V~
MAX: 3500W
PP material
ON/OFF switch
H05VV-F 3G 1.0/1.5mm² cable



611114



16A 250V~
MAX: 3500W
PP material
ON/OFF switch
H05VV-F 3G 1.0/1.5mm² cable



611115



16A 250V~
MAX: 3500W
PP material
ON/OFF switch
H05VV-F 3G 1.0/1.5mm² cable



611116



16A 250V~
MAX: 3500W
PP material
ON/OFF switch
H05VV-F 3G 1.0/1.5mm² cable



German Type

M





611113-2U2



16A 250V~
MAX: 3500W
PP material
USB: 5V DC 2.4A
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable



611113-2U3



16A 250V~
MAX: 3500W
PP material
USB: 5V DC 3.4A
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable



611115-2U2



16A 250V~
MAX: 3500W
PP material
USB: 5V DC 2.4A
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable



611115-2U3



16A 250V~
MAX: 3500W
PP material
USB: 5V DC 3.4A
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable



German Type

M



6112014



16A 250V~
MAX: 3500W
PP material
H05VV-F 3G 1.0/1.5mm² cable
CE

6112013-2U2



16A 250V~
MAX: 3500W
USB: 5V DC 2.4A
PP material
H05VV-F 3G 1.0/1.5mm² cable
CE

6112113



16A 250V~
MAX: 3500W
ON/OFF Switch
PP material
H05VV-F 3G 1.0/1.5mm² cable
CE



611113-2U3C



16A 250V~
MAX: 3500W
PP material
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable
USB
A: 5V/2.4A MAX
Type C: 5V/3A MAX
A+C: 5V3A Max



611113-2U4C



16A 250V~
MAX: 3500W
PP material
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable
USB
A: QC 18W Max
Type C: PD 18W Max
A+C: 5V3A max



611115-2U3C



16A 250V~
MAX: 3500W
PP material
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable
USB
A: 5V/2.4A MAX
Type C: 5V/3A MAX
A+C: 5V3A Max



611115-2U4C



16A 250V~
MAX: 3500W
PP material
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable
USB
A: QC 18W Max
Type C: PD 18W Max
A+C: 5V3A max





711003



16A 250V~
MAX: 3500W
PP material
Rewirable cable



711004



16A 250V~
MAX: 3500W
PP material
Rewirable cable



711006



16A 250V~
MAX: 3500W
PP material
Rewirable cable



711013



16A 250V~
MAX: 3500W
Pp material
H05VV-F 3G 1.0/1.5mm² cable



711014



16A 250V~
MAX: 3500W
PP material
H05VV-F 3G 1.0/1.5mm² cable



711015



16A 250V~
MAX: 3500W
Pp material
H05VV-F 3G 1.0/1.5mm² cable



711016



16A 250V~
MAX: 3500W
PP material
H05VV-F 3G 1.0/1.5mm² cable



French Type

M





711113

3
outlet



16A 250V~
MAX: 3500W
PP material
ON/OFF switch
H05VV-F 3G 1.0/1.5mm² cable



711114

4
outlet



16A 250V~
MAX: 3500W
PP material
ON/OFF switch
H05VV-F 3G 1.0/1.5mm² cable



711115

5
outlet



16A 250V~
MAX: 3500W
PP material
ON/OFF switch
H05VV-F 3G 1.0/1.5mm² cable



711116

6
outlet



16A 250V~
MAX: 3500W
PP material
ON/OFF switch
H05VV-F 3G 1.0/1.5mm² cable



711113-2U2

3
outlet



16A 250V~
MAX: 3500W
PP material
USB: 5V DC 2.4A
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable



711113-2U3

3
outlet



16A 250V~
MAX: 3500W
PP material
USB: 5V DC 3.4A
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable



711115-2U2

5
outlet



16A 250V~
MAX: 3500W
PP material
USB: 5V DC 2.4A
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable



711115-2U3

5
outlet



16A 250V~
MAX: 3500W
PP material
USB: 5V DC 3.4A
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable



French Type

M





7112014



16A 250V~
MAX: 3500W
PP material
H05VV-F 3G 1.0/1.5mm² cable



7112013-2U2



16A 250V~
MAX: 3500W
USB: 5V DC 2.4A
PP material
H05VV-F 3G 1.0/1.5mm² cable



7112113



16A 250V~
MAX: 3500W
ON/OFF Switch
PP material
H05VV-F 3G 1.0/1.5mm² cable



711113-2U3C



16A 250V~
MAX: 3500W
PP material
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable
USB
A: 5V/2.4A MAX
Type C: 5V/3A MAX
A+C: 5V3A Max



711113-2U4C



16A 250V~
MAX: 3500W
PP material
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable
USB
A: QC 18W Max
Type C: PD 18W Max
A+C: 5V3A max



711115-2U3C



16A 250V~
MAX: 3500W
PP material
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable
USB
A: 5V/2.4A MAX
Type C: 5V/3A MAX
A+C: 5V3A Max



711115-2U4C



16A 250V~
MAX: 3500W
PP material
ON/OFF Switch
H05VV-F 3G 1.0/1.5mm² cable
USB
A: QC 18W Max
Type C: PD 18W Max
A+C: 5V3A max



French Type

M





PATENTED



Foot Switch



Can be screwed to the wall



USB 5V 2.4A



Rewiring available



Flat Plug



C641003

3 outlet



C641103

3 outlet



C641004

4 outlet



C641104

4 outlet



16A 250V~
MAX:3500W
PP material
Rewirable



16A 250V~
MAX: 3500W
PP material
With lighted foot switch
Rewirable



16A 250V~
MAX:3500W
PP material
Rewirable



16A 250V~
MAX: 3500W
PP material
With lighted foot switch
Rewirable





C641005

5
outlet



16A 250V~
MAX:3500W
PP material
Rewirable



C641105

5
outlet



16A 250V~
MAX: 3500W
PP material
With lighted foot switch
Rewirable



C641006

6
outlet



16A 250V~
MAX:3500W
PP material
Rewirable



C641106

6
outlet



16A 250V~
MAX: 3500W
PP material
With lighted foot switch
Rewirable



C641013

3
outlet



16A 250V~
MAX:3500W
PP material
H05VV-F 3G 1.5mm² cable



C641113

3
outlet



16A 250V~
MAX:3500W
PP material
With lighted foot switch
H05VV-F 3G 1.5mm² cable



C641014

4
outlet



16A 250V~
MAX:3500W
PP material
H05VV-F 3G 1.5mm² cable



C641114

4
outlet



16A 250V~
MAX:3500W
PP material
With lighted foot switch
H05VV-F 3G 1.5mm² cable



Multi-Socket Series

M





C641015

5
outlet



16A 250V~
MAX:3500W
PP material
H05VV-F 3G 1.5mm² cable



C641115

5
outlet



16A 250V~
MAX:3500W
PP material
With lighted foot switch
H05VV-F 3G 1.5mm² cable



C641016

6
outlet



16A 250V~
MAX:3500W
PP material
H05VV-F 3G 1.5mm² cable



C641116

6
outlet



16A 250V~
MAX:3500W
PP material
With lighted foot switch
H05VV-F 3G 1.5mm² cable



C741003

3
outlet



C741103

3
outlet



C741004

4
outlet



C741104

4
outlet



Multi-Socket Series

16A 250V~
MAX:3680W
PP material
Rewirable



16A 250V~
MAX: 3680W
PP material
With lighted foot switch
Rewirable



16A 250V~
MAX:3680W
PP material
Rewirable



16A 250V~
MAX: 3680W
PP material
With lighted foot switch
Rewirable





C741005

5
outlet



16A 250V~
MAX:3680W
PP material
Rewirable
NF **CE**
1667AP



C741105

5
outlet



16A 250V~
MAX: 3680W
PP material
With lighted foot switch
Rewirable
NF **CE**
1667AP



C741006

6
outlet



16A 250V~
MAX:3680W
PP material
Rewirable
NF **CE**
1667AP



C741106

6
outlet



16A 250V~
MAX: 3680W
PP material
With lighted foot switch
Rewirable
NF **CE**
1667AP



C741013

3
outlet



C741113

3
outlet



C741014

4
outlet



C741114

4
outlet



Multi-Socket Series

16A 250V~
MAX:3680W
PP material
H05VV-F 3G 1.0/1.5mm² cable
NF **CE**
1667AP

16A 250V~
MAX:3680W
PP material
With lighted foot switch
H05VV-F 3G 1.0/1.5mm² cable
NF **CE**
1667AP

16A 250V~
MAX:3680W
PP material
H05VV-F 3G 1.0/1.5mm² cable
NF **CE**
1667AP

16A 250V~
MAX:3680W
PP material
With lighted foot switch
H05VV-F 3G 1.0/1.5mm² cable
NF **CE**
1667AP

M





C741015

5
outlet



16A 250V~
MAX:3680W
PP material
H05VV-F 3G 1.0/1.5mm² cable



C741115

5
outlet



16A 250V~
MAX:3680W
PP material
With lighted foot switch
H05VV-F 3G 1.0/1.5mm² cable



C741016

6
outlet



16A 250V~
MAX:3680W
PP material
H05VV-F 3G 1.0/1.5mm² cable



C741116

6
outlet



16A 250V~
MAX:3680W
PP material
With lighted foot switch
H05VV-F 3G 1.0/1.5mm² cable



C641113UC-2

3
outlet



16A 250V~
MAX: 3500W
USB: 5V 2.4A
PP material
With lighted foot switch
H05VV-F 3G 1.5mm² cable



C641115UC-2

5
outlet



16A 250V~
MAX: 3500W
USB: 5V 2.4A
PP material
With lighted foot switch
H05VV-F 3G 1.5mm² cable



C741113UC-2

3
outlet



16A 250V~
MAX: 3680W
USB: 5V 2.4A
PP material
With lighted foot switch
H05VV-F 3G 1.0/1.5mm² cable



C741115UC-2

5
outlet



16A 250V~
MAX: 3680W
USB: 5V 2.4A
PP material
With lighted foot switch
H05VV-F 3G 1.0/1.5mm² cable



Multi-Socket Series


M






M Slim Series

Multi-Socket Series



Small clean and tidy



Spaced outlet



Fix on the wall with screw



Save space



Energy-saving foot switch



Flat Plug



612014

4 outlet 2 colour 2.5A

2.5A 230V~
MAX: 2300W 10A/250V~
PC material
Intertek CE



612014F

4 outlet 2 colour 2.5A

2.5A 230V~
MAX: 2300W 10A/250V~
PC material
With lighted footswitch
Intertek CE



712014

4 outlet 2 colour 6A

6A 230V~
MAX: 1380W
PC material
NF 1667AP CE



712014F

4 outlet 2 colour 6A

6A 230V~
MAX: 1380W
PC material
With lighted footswitch
NF 1667AP CE



622014

4 outlet 2 colour 10A

10A 230V~
MAX: 2300W
PC material
TUV Rheinland CERTIFIED CE



622014F

4 outlet 2 colour 10A

10A 230V~
MAX: 2300W
PC material
With lighted footswitch
TUV Rheinland CERTIFIED CE



M Flexible Multi-Socket Series





Available on the iPhone
App Store

Wi-Fi



Scan the QR



Multi-Socket Series



68113

3 outlet



16A 250V~
MAX: 3500W
PC material
H05VV-F 3G 1.0/1.5mm² cable



SW68113

3 outlet



16A 250V~
MAX: 3500W
PC material
Free APP for Android and iOS
Wi-Fi: 2.4GHz 802.11b/g/n
H05VV-F 3G 1.0/1.5mm² cable



SP68113

3 outlet



16A 250V~
MAX: 3500W
PC material
Surge protector
H05VV-F 3G 1.0/1.5mm² cable



68113U

3 outlet



16A 250V~
MAX: 3500W
USB: 2 output 5V 2.4A
PC material
H05VV-F 3G 1.0/1.5mm² cable





SW68113U



16A 250V~
MAX: 3500W
PC material
Free APP for Android and iOS
Wi-Fi: 2.4GHz 802.11b/g/n
H05VV-F 3G 1.0/1.5mm² cable
CE



SP68113U



16A 250V~
MAX: 3500W
USB: 2 output 5V 2.4A
PC material
Surge protector
H05VV-F 3G 1.0/1.5mm² cable
CE



68114



16A 250V~
MAX: 3500W
PC material
H05VV-F 3G 1.0/1.5mm² cable
CE



SW68114



16A 250V~
MAX: 3500W
PC material
Free APP for Android and iOS
Wi-Fi: 2.4GHz 802.11b/g/n
H05VV-F 3G 1.0/1.5mm² cable
CE



SP68114



Multi-Socket Series

16A 250V~
MAX: 3500W
PC material
Surge protector
H05VV-F 3G 1.0/1.5mm² cable
CE



68114U



16A 250V~
MAX: 3500W
USB: 2 output 5V 2.4A
PC material
H05VV-F 3G 1.0/1.5mm² cable
CE



SW68114U



16A 250V~
MAX: 3500W
PC material
Free APP for Android and iOS
Wi-Fi: 2.4GHz 802.11b/g/n
H05VV-F 3G 1.0/1.5mm² cable
CE



SP68114U



16A 250V~
MAX: 3500W
USB: 2 output 5V 2.4A
PC material
Surge protector
H05VV-F 3G 1.0/1.5mm² cable
CE



68115



16A 250V~
MAX: 3500W
PC material
H05VV-F 3G 1.0/1.5mm² cable



SW68115



16A 250V~
MAX: 3500W
PC material
Free APP for Android and iOS
Wi-Fi: 2.4GHz 802.11b/g/n
H05VV-F 3G 1.0/1.5mm² cable



SP68115



16A 250V~
MAX: 3500W
PC material
Surge protector
H05VV-F 3G 1.0/1.5mm² cable



68115U



16A 250V~
MAX: 3500W
USB: 2 output 5V 2.4A
PC material
H05VV-F 3G 1.0/1.5mm² cable



SW68115U



16A 250V~
MAX: 3500W
PC material
Free APP for Android and iOS
Wi-Fi: 2.4GHz 802.11b/g/n
H05VV-F 3G 1.0/1.5mm² cable



SP68115U



16A 250V~
MAX: 3500W
USB: 2 output 5V 2.4A
PC material
Surge protector
H05VV-F 3G 1.0/1.5mm² cable



68116



16A 250V~
MAX: 3500W
PC material
H05VV-F 3G 1.0/1.5mm² cable



SW68116



16A 250V~
MAX: 3500W
PC material
Free APP for Android and iOS
Wi-Fi: 2.4GHz 802.11b/g/n
H05VV-F 3G 1.0/1.5mm² cable





SP68116



16A 250V~
MAX: 3500W
PC material
Surge protector
H05VV-F 3G 1.0/1.5mm² cable



68116U



16A 250V~
MAX: 3500W
USB: 2 output 5V 2.4A
PC material
H05VV-F 3G 1.0/1.5mm² cable



SW68116U



16A 250V~
MAX: 3500W
PC material
Free APP for Android and iOS
Wi-Fi: 2.4GHz 802.11b/g/n
H05VV-F 3G 1.0/1.5mm² cable



SP68116U




16A 250V~
MAX: 3500W
USB: 2 output 5V 2.4A
PC material
Surge protector
H05VV-F 3G 1.0/1.5mm² cable





For wall or corner mounting



Rewiring available



K6014



K6013U



K7014



K7013U



16A 250V~
MAX:3500W
H05VV-F 3G 1.5mm²cable
With flat plug



16A 250V~
MAX:3500W
USB:5V,2.4A
H05VV-F 3G 1.5mm²cable
With flat plug



16A 250V~
MAX:3680W
H05VV-F 3G 1.0/1.5mm²cable
With flat plug



16A 250V~
MAX:3680W
USB:5V,2.4A
H05VV-F 3G 1.0/1.5mm²cable
With flat plug





K6014C

4
outlet



16A 250V~
MAX:3500W
Rewirable



K6013UC

3
outlet



16A 250V~
MAX:3500W
USB:5V,2.4A
Rewirable



K7014C

4
outlet



16A 250V~
MAX:3500W
Rewirable



K7013UC

3
outlet



16A 250V~
MAX:3680W
USB:5V,2.4A
Rewirable





PATENTED



Clip-on working places



C6103



16A 250V
MAX : 3500W
H05VV-F 3G 1.5mm² cable




C7103



16A 250V
MAX : 3500W
H05VV-F 3G 1.0/1.5mm² cable





5 WAYS SCHUKO SOCKETS
2 USB PORTS 5V DC MAX 2.4A
4 COLORS LIGHTING DISPLAY



Designed for Gamers



613115U2



16A/250V~ 50Hz 3680W(Max.)
5V DC 2.4A (Max.)
Polycarbonate Material
H05VV-F 3G1.0/1.5mm Cable
1 pc/Color box 20pcs/CTN
570 X 220 X 420mm/CTN





E ECO Simplest Flat Power Plug

Extension Cord Series



Colourful textile cable available



Super flat & Easy pulling out



Without interfering with the neighbor outlets



LM2427

16A 250V~
Flat plug
PVC material
H05VV-F 3G 1.5mm²
H05VV-F 3G 1.0mm²



LM2437

16A 250V~
Flat plug
PVC material
H05VV-F 2x1.0mm²
H05VV-F 2x0.75mm²
H05VVH2-F 2x0.75mm²



LM2447

16A 250V~
Flat plug
PVC material
H05VV-F 3G 1.5mm²
H05VV-F 3G 1.0mm²




LM2457

16A 250V~
Flat plug
PVC material
H05VV-F 2x1.0mm²
H05VV-F 2x0.75mm²
H05VVH2-F 2x0.75mm²



LM2407

16A 250V~
2P+E
Flat plug
PVC material
H05VV-F 3G 1.5mm²
H05VV-F 3G 1.0mm²



LM2501

16A 250V~
Standard plug
PVC material
H05VV-F 3G 1.5mm²
H05VV-F 3G 1.0mm²



LM2503

16A 250V~
Standard plug
PVC material
H05VV-F 3G 1.5mm²
H05VV-F 3G 1.0mm²



LM2504

2.5A 250V~
Standard plug
PVC material
H05VVH2-F 2x0.75mm²



602110SP

10A 250V~
Standard plug
PVC material
H05VV-F 3G 1.0mm²



Extension Cord Series



Extension Cord Series



3501

16A 250V
MAX : 3680W
German type
PVC material
H05VV-F 3G 1.0/1.5mm² cable



3502

16A 250V
MAX : 3680W
French type
PVC material
H05VV-F 3G 1.0/1.5mm² cable





3503

16A 250V
MAX : 3680W
Dutch type
PVC material
H05VV-F 3G 10/1.5mm² cable



3504

16A 250V
MAX : 625W
German type
PVC material
H05VVH2-F 2x0.75mm² cable



3501SP

10A 250V
MAX : 2300W
German type
PVC material
H05VV-F 3G 1.0mm² cable
Overload Protection Switch



403021

16A 250V
MAX : 3500W
German type
PVC material
H05VV-F 3G 1.5mm² cable



E Extension Cord



413021

16A 250V
MAX : 3500W
French type
PVC material
H05VV-F 3G 1.0/1.5mm² cable



E Clip & Magnetic Extension Cord




PATENTED



Magnet



Clip



Extension Cord Series



403022



16A 250V
MAX : 3500W
German type
PC material
H05VV-F 3G 1.5mm² cable
 



403022M



16A 250V
MAX : 3500W
German type
PC material
H05VV-F 3G 1.5mm² cable
  



413022



16A 250V
MAX : 3500W
French type
PC material
H05VV-F 3G 1.0/1.5mm² cable
 



413022M



16A 250V
MAX : 3500W
French type
PC material
H05VV-F 3G 1.0/1.5mm² cable
 

Overload Protection Extension Cord



403023

10A

16A 250V
MAX 10A / 2300W
German type
PC material
With 10A overload protection
H05VV-F 3G1.0 Max 30M cable




413023

10A

16A 250V
MAX 10A / 2300W
French type
PC material
With 10A overload protection
H05VV-F 3G1.0 Max 30M cable






USB 5V 2.4A/ 3.4A



Double circuit control switch



Thermal Protector



609170

16A 250V~
PP material
H05VV-F 3G 1.5mm² cable Max 7M
Intertek GS CE



609170U

16A 250V~
USB: 5V 2.4A
PP material
H05VV-F 3G 1.5mm² cable Max 7M
Intertek GS CE



609170S

16A 250V~
PP material
H05VV-F 3G 1.5mm² cable Max 7M
Intertek GS CE



709170

16A 250V~
PP material
H05VV-F 3G 1.5mm² cable Max 7M
  



709170U



16A 250V~
USB: 5V 2.4A
PP material
H05VV-F 3G 1.5mm² cable Max 7M
  



709170S

16A 250V~
PP material
H05VV-F 3G 1.5mm² cable Max 7M
  





C2407

16A 250V~
2P+E
Flat plug
PP material



2201

16A 250V~
2P+E
German type plug
PC material



2202

16A 250V~
2P+E
German type socket
PC material



2202P

16A 250V~
2P+E
German type socket
PC material





2207

16A 250V~
2P+E
German type plug
PC material



2237



16A 250V~
2P+E
German type plug
Rubber material



2209

16A 250V~
2P+E
German type plug
Rubber material



2203

16A 250V~
2P+E
German type plug
PC material



2210

16A 250V~
2P+E
German type socket
Rubber material



2205

16A 250V~
2P+E
German type plug
PC material



2210P



16A 250V~
2P+E
German type socket
Rubber material



2211

16A 250V~
2P+E
German type plug
Rubber material





2239



16A 250V~
2P+E
German type plug
Rubber material



602202P



16A 250V~
2P+E
German type socket
PC material
AENOR TEST REPORT



602103

10A 250V~
2P
Two pole plug
PC material
4.0mm pins with insulating casing
AENOR TEST REPORT



2301

16A 250V~
2P+E
German type plug
PP material
With PVC sleeve and
earthing contact



602104P



10A 250V~
2P
Two pole plug socket
PC material
4.0mm pins with insulating casing
AENOR TEST REPORT



2302



16A 250V~
2P+E
German type socket
PP material
With PVC sleeve and
earthing contact



602201

16A 250V~
2P+E
German type plug
PC material
AENOR TEST REPORT



2307

16A 250V~
2P+E
German type plug
PP material
With PVC sleeve and
earthing contact





602105

10A 250V~
Two pole plug
PC material
4.0mm pins with insulating casing



602305

2.5A 250V~
Two pole plug with hook
PC material
4.0mm pins with insulating casing



602106



10A 250V~
2P
Two pole plug
PC material
4.0mm pins with insulating casing



602203

16A 250V~
2P+E
German type plug
PC material
With earthing contact



602204



16A 250V~
2P+E
PC material




702204



16A 250V~
2P+E
PC material




LM60060

25A 250V~
2P+E
Two pole socket for kitchen
PP material



LM60061

25A 250V~
2P+E
Two pole plug for kitchen
PP material



P

602 Series

Plug & Socket Series

IP
44



Can be screwed to the wall



Two ways socket

P



602258



16A 250V~
2P+E
Two way socket
Rubber material



602259



16A 250V~
2P+E
Two way socket
Rubber material



602227



16A 250V~
German type plug
Rubber material



602228P




16A 250V~
Rubber material
With cover



602229



16A 250V~
Rubber material
With cover



602247



16A 250V~
2P+E
German type plug
Rubber material



602248



16A 250V~
2P+E
Rubber material



602249



16A 250V~
2P+E
Rubber material





Adaptor Series

Adaptor Series



PATENTED



Outlet space saving

Patent No.: CN/DE
ZL 2015 3 0189515.6
2015103677





C623002



16A 250V~
Two way adaptor
PP material



C623023



1x16A+3x10A/ 2.5A 250V~
Three way adaptor
PP material



C633023



C623033



2.5A/ 10A 250V~
Three way adaptor
PP material



C633033



C623022



2.5A 250V~
Two way adaptor
PP material



C623044



2.5A 250V~
Four way adaptor
PP material



C633133



16A 250V~
MAX: 3680W
Three way adaptor
Three ultra-space saving
PP material



603133P



16A 250V~
MAX: 3500W
2P+E
Three way adaptor
PC material



603140P



16A 250V~
MAX: 3500W
2P+E
Two way adaptor
PC material



603117P



10A 250V~
MAX: 3680W
Three way adaptor
PP material
4.0mm pins with insulating casing
AENOR TEST REPORT



C613002



16A 250V~
MAX: 3500W
Two way adaptor
PP material



C713002



16A 250V~
MAX: 3680W
Two way adaptor
PP material



C613003



16A 250V~
MAX: 3680W
Three way adaptor
PP material



C713003



16A 250V~
Three way adaptor
PP material



603109N



16A 250V~
European-England adaptor
PC material



603110P



16A 250V~
MAX: 3500W
2P+E
England-European adaptor
PC material
Socket: Germany type
Plug: British type, BS1363-13Amp
fuse plug



Macaron Adaptor

USB Charger



A



FUN elegant family design



Compact for travel use



C613002UC



5V~ 2.4A
Two way USB adaptor
PP material



C613003UC



5V~ 2.4A
Three way USB adaptor
PP material



603193



2.5A 250V~
2P+E
Two way adaptor
PP material



601400

601401

601402

Socket protector shutters (Top)
Socket protector shutters (Left)
Socket protector shutters (Right)